

Application Note Substitute AC-SCM6U(-BT, -BT-L)



the sensor people



General Information

Leuze electronic

the sensor people

From 01.06.20 the AC-SCM6U series will be replaced by the AC-SCM7U series.

Article AC-SCM6U series	Replacement AC-SCM7U series
AC-SCM6U (520140)	AC-SCM7U (520143)
AC-SCM6U-BT (520141)	AC-SCM7U-BT (520144)
AC-SCM6U-BT-L (520142)	AC-SCM7U-BT-L (520145)



General Information

Leuze electronic

LMP

LMP

LMP

0 V

the sensor people

RES

24 V

RES

RES

The only difference between the AC-SCM6U series and the AC-SCM7U series will be an internal exchange of pin 1 and pin 6 resulting in an exchange of muting sensor 3 (MS3) and muting sensor 4 (MS4).

Pin	Connection to MLD	MS1	MS2	MS3	MS4
1	MS4	24 V	24 V	24 V	24 V
2	24 V				
3	MS2	0 V	0 V	0 V	0 V

MS1

MS2

MS3

MS4

AC-SCM6U series

Pin assignment

Pin assignment

MS1

MS3 0 V

n.c.

RES/LMP

4

5

6

7 8

Pin	Connection to MLD	MS1	MS2	MS3	MS4	LMP	RES
1	MS3	24 V	24 V	24 V	24 V		24 V
2	24 V					LMP	RES
3	MS2	0 V	0 V	0 V	0 V	0 V	
4	MS1	MS1	MS2	MS3	MS4	LMP	RES
5	RES/LMP						
6	MS4						
7	0 V						
8	n.c.						

AC-SCM7U series



the sensor people

Note:

For AC-SCM7U series, the document "Safety information for the usage of multiple light beam safety devices MLD335/MLD535" is no longer valid.

The described measures in this document (exchanging MS3 and MS4 and exchanging pins 1 and 6) are only valid for AC-SCM6U series and must not be taken for AC-SCM7U series.

If you replace AC-SCM6U by AC-SCM7U in an existing application where you have exchanged MS3 and MS4 or pin 1 and pin 6 it is necessary to undo this step.

Any questions!?

Technical Hotline +49 7021 573 -110

E-Mail: service.protect@leuze.com





Did you know...

Leuze electronic

the sensor people

...WE KEEP YOU SUPPLIED WORLDWIDE

On-Site service, repairs and device replacement service

- FAST ASSISTANCE DURING START-UP
- FAST HELP WORLDWIDE
- IN THE CASE OF EMERGENCY WE ARE AVAILABLE
 AROUND THE CLOCK

For emergencies, the Leuze electronic On-Call Service is available to you around the clock at +497021573 - 0.







Headquarters Leuze electronic GmbH + Co. KG In der Braike 1, 73277 Owen, Germany www.leuze.com



the sensor people