

Application Note TNT 32 Series Substituts




- Replacement for TNT 32 Series
 - ⇒ TNT 32 (restart lock)
 - ⇒ TNT 32/R (no restart lock)

Find the correct replacement


Old	New	Description
TNT 32	MSI-TR1B-0x*	Only positive test pulses possible. Automatic restart is optional.
TNT 32/R	MSI-TR1B-0x*	

The replacement is not possible with TLS85/4 and TLS72/4 Series!



- * -01: Screw terminal
- 02: Spring-cage terminal

Wiring overview



- For an exchange of a TNT 32 in an existing machine, a TR1B-0x system is sufficient. The units are technical equal. The reduced performance level from PL-d to PL-c systems from the change of the standard EN / IEC 61496-1. This change is not a major change (EU 2009/104/EG)
- The replacement is not possible with TLS85/4 and TLS72/4 series.

Article numbers

Product	Article number	Description
MSI-TR1B-01	547958	Screw terminal
MSI-TR1B-02	547959	Spring-cage terminal

Did you know...

Leuze

...WE KEEP YOU SUPPLIED WORLDWIDE

On-Site service, repairs and device replacement service

- FAST ASSISTANCE DURING START-UP
- FAST HELP WORLDWIDE
- IN THE CASE OF EMERGENCY WE ARE AVAILABLE AROUND THE CLOCK

For emergencies, the Leuze electronic On-Call Service is available to you around the clock at +49 7021 573 – 0.



**For further support
please contact our
service hotline**



Technical Hotline

+49 7021 573 -110

Service.protect@leuze.com

Leuze electronic GmbH + Co. KG

www.leuze.com

