

## Technical data sheet

### Mounting bracket set

Part no.: 429393

BT-2HF

#### Contents

- Technical data
- Dimensioned drawings



For illustration purposes only

## Technical data

### Basic data

|                                   |                                              |
|-----------------------------------|----------------------------------------------|
| <b>Contains</b>                   | 1 cylinder for mounting on the light curtain |
|                                   | 2x BT-HF swivel mount                        |
| <b>Suitable for product group</b> | Safety light curtains                        |
| <b>Suitable for</b>               | MLC 500, MLC 300 safety light curtains       |

### Mechanical data

|                                     |                       |
|-------------------------------------|-----------------------|
| <b>Type of fastening, at system</b> | Through-hole mounting |
| <b>Type of fastening, at device</b> | Clampable             |
| <b>Type of mounting device</b>      | Turning, 360°         |
| <b>Mounting device material</b>     | Metal                 |
|                                     | Plastic               |



### Classification

|                              |          |
|------------------------------|----------|
| <b>Customs tariff number</b> | 73182900 |
| <b>ECLASS 5.1.4</b>          | 27279202 |
| <b>ECLASS 8.0</b>            | 27279202 |
| <b>ECLASS 9.0</b>            | 27273701 |
| <b>ECLASS 10.0</b>           | 27273701 |
| <b>ECLASS 11.0</b>           | 27273701 |
| <b>ECLASS 12.0</b>           | 27273701 |
| <b>ECLASS 13.0</b>           | 27273701 |
| <b>ECLASS 14.0</b>           | 27273701 |
| <b>ECLASS 15.0</b>           | 27273701 |
| <b>ETIM 5.0</b>              | EC002498 |
| <b>ETIM 6.0</b>              | EC003015 |
| <b>ETIM 7.0</b>              | EC003015 |
| <b>ETIM 8.0</b>              | EC003015 |
| <b>ETIM 9.0</b>              | EC003015 |
| <b>ETIM 10.0</b>             | EC003015 |

## Dimensioned drawings

All dimensions in millimeters

### BT-HF swivel mount



### Mounting variant

