

Technical data sheet

Connection unit

Part no.: 50136698

NTS 2



For illustration purposes only

Contents

- Technical data
- Dimensioned drawings
- Electrical connection
- Accessories

Technical data

Connection

Connection 1

Type of connection	Terminal
--------------------	----------

Mechanical data

Dimension (W x H x L)	102 mm x 42 mm x 228 mm
-----------------------	-------------------------

Housing material	Plastic
------------------	---------

Plastic housing	ABS
-----------------	-----

Net weight	365 g
------------	-------

Housing color	Black
---------------	-------

Operation and display

Type of display	Acoustic
	LED indicator

Environmental data

Ambient temperature, operation	-20 ... 60 °C
--------------------------------	---------------

Ambient temperature, storage	-30 ... 70 °C
------------------------------	---------------

Certifications

Degree of protection	IP 40
----------------------	-------

Protection class	II
------------------	----

Classification

Customs tariff number	85389091
-----------------------	----------

ECLASS 5.1.4	27270990
--------------	----------

ECLASS 8.0	27270990
------------	----------

ECLASS 9.0	27379201
------------	----------

ECLASS 10.0	27270992
-------------	----------

ECLASS 11.0	27270992
-------------	----------

ECLASS 12.0	27270992
-------------	----------

ECLASS 13.0	27270992
-------------	----------

ECLASS 14.0	27270992
-------------	----------

ECLASS 15.0	27270992
-------------	----------

ECLASS 16.0	27270992
-------------	----------

ETIM 5.0	EC002498
----------	----------

ETIM 6.0	EC003015
----------	----------

ETIM 7.0	EC003015
----------	----------

ETIM 8.0	EC003015
----------	----------


ETIM 9.0	EC003015
----------	----------

ETIM 10.0	EC003015
-----------	----------

UNSPSC 26.08	31242100
--------------	----------

Dimensioned drawings

All dimensions in millimeters



Electrical connection

Connection 1


Function	Activation output
	Signal IN
	Voltage supply
	Warning input
Type of connection	Terminal
No. of pins	6 -pin

Electrical connection

Terminal	Assignment
1	VIN
2	GND
3	OUT 1
4	OUT 2
5	OUT WARN
6	OUT V

Accessories

Power supply units

	Part no.	Designation	Article	Description
	50110748	NT 24-24W	Power supply unit	Type of power supply unit: Plug-in power supply unit Output: 24 V DC, 1 A Input: 110 ... 240 V AC, 50 ... 60 Hz

Note



A list with all available accessories can be found on the Leuze website in the Download tab of the article detailed page.